

CS 3133 Foundations of Computer Science
C term 2015

Solutions for the Midterm Exam

1. Give a regular expression that represents the set of strings over $\Sigma = \{a, b\}$ with an even number of a 's or an odd number of b 's.

Solution:

$$(b^*ab^*a)^*b^* \cup (a^*ba^*b)^*a^*ba^*$$

(20 points)

2. Consider the following grammar G :

$$\begin{aligned} S &\rightarrow XY \\ X &\rightarrow aX \mid bX \mid a \\ Y &\rightarrow Ya \mid Yb \mid a \end{aligned}$$


- (a) Give a leftmost derivation of $abaabb$.
(b) Build the derivation tree for the derivation in part (1).
(c) What is $L(G)$?

Solution:

- (a) The following is a leftmost derivation of $abaabb$:

$$\begin{aligned} S &\Rightarrow XY \\ &\Rightarrow aXY \\ &\Rightarrow abXY \\ &\Rightarrow abaY \\ &\Rightarrow abaYb \\ &\Rightarrow abaYbb \\ &\Rightarrow abaabb \end{aligned}$$

- (b)



(c)

$$L(G) = (\mathbf{a \cup b})^* \mathbf{aa} (\mathbf{a \cup b})^*$$

(20 points)

3. Construct a context-free grammar over the alphabet $\Sigma = \{a, b, c\}$ whose language is

$$L = \{a^i b^j c^k \mid 0 \leq i + k \leq j\}.$$

Solution: The grammar is:

$$\begin{aligned} S &\rightarrow AB \\ A &\rightarrow aAb \mid Ab \mid \lambda \\ B &\rightarrow bBc \mid \lambda \end{aligned}$$

(20 points)

4. Construct two regular grammars, one ambiguous and one unambiguous, that generate the language consisting of the set of strings over $\Sigma = \{a, b\}$ in which the number of a 's is divisible by three.

Solution:

Unambiguous regular grammar:

$$\begin{aligned} S &\rightarrow bS \mid aA \mid \lambda \\ A &\rightarrow bA \mid aB \\ B &\rightarrow bB \mid aS \end{aligned}$$

Ambiguous regular grammar:

$$\begin{aligned} S &\rightarrow bS \mid aA \mid \lambda \\ A &\rightarrow bA \mid aB \mid aC \\ B &\rightarrow bB \mid aS \\ C &\rightarrow bC \mid aS \end{aligned}$$

It is ambiguous because there are two different leftmost derivations for the string aaa :

$$\begin{aligned} S &\Rightarrow aA \\ &\Rightarrow aaB \\ &\Rightarrow aaaS \\ &\Rightarrow aaa \end{aligned}$$

and


$$\begin{aligned} S &\Rightarrow aA \\ &\Rightarrow aaC \\ &\Rightarrow aaaS \\ &\Rightarrow aaa \end{aligned}$$

(20 points)

5. Design a DFA that accepts the language consisting of the set of those strings over $\{a, b\}$ that do not contain the substring aaa .

Solution:

The state diagram of a DFA is



(20 points)